


The Visualizer V 2.8 for the Yamaha 02R


supports Yamaha Firmware 1.x to 2.02

exciting news!



Whats new in Visualizer for 02R V2.8?

New! The Surround Editor*



Just move the red sphere with a mouse or a PC-Joystick over the blue plane.

Ribbon Control!
The Ribbon Control lets you easily work with yamaha trajectories.

the moving of Ribbon to the left or the right makes the sound move along these paths. When the OSC-Button is depressed, the sound will move automatically and the Ribbon Control sets the oscillating frequency of it.

Commit to Automix:
With this function an oscillation can be directly written into an automix file. First choose a yamaha specific trajectory, then enter your start and endtime and the number of oscillations and press Commit to automix!
Due to the new online automix feature, the result can be directly monitored on the 02R, without first being copied into its automix memory!!

New! The Patchbay*




- all patch windows clearly arranged in only one window
- easy click with your mouse to patch
- use in on- and offline Editing
- extensive Reset possibilities

New! extended Szene-Manager

With the Scene-Manager scenes can be easily copied, erased and grouped. The Scene-Manager reads and writes directly into the scene library of the 02R. Empty spaces can be erased as quickly as new scenes will be inserted.



New! The ONLINE Automix Editor



Automix Preferences
 Opens the automix Preferences

Online Active Taste
 Starts / stops the online Automix (or activates/deactivates the „ready“ function.

External Sync Enable
 If this button is depressed, an external Sync (at the 02R) is recognized, and an online Automix will run, as soon as the sync comes in.

Direct Access Button
 If this button is depressed, an automix-cursor move will affect the console settings allway being updated to the actual location of the cursor. 8this includes all scene and library recalls!!!)

With Visualizer Version 2.8 it is also possible to dynamically automate parameters, which are NOT included in the yamaha dynamic automation such as:
 All Aux- and Busmasters,
 some Dynamicsparameters,
 some Effektparameters,
Digital Attenuators, and
Channel Delays...